

## Respiratory Therapist - Acute

Name \_\_\_\_\_ Telephone \_\_\_\_\_ Who is your recruiter? \_\_\_\_\_ Date \_\_\_\_\_

**Instructions:** This checklist is meant to serve as a general guideline for our client facilities as to the level of your skills within your nursing specialty. Please use the scale below to describe your experience/expertise in each area listed below.

**Proficiency :- 1 = Never Performed**  
**Frequency :- 1 = Never**

**2 = Limited Experience**  
**2 = Sometimes**

**3 = Comfortable Performing**  
**3 = Often**

**4 = Proficient**  
**4 = Always**

| Age Specific:              | Proficiency |   |   |   | Frequency |   |   |   |
|----------------------------|-------------|---|---|---|-----------|---|---|---|
| Infant (Birth to 1 year)   | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Toddler (1–3 years)        | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Pre-school (3–6 years)     | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| School Age (6–12 years)    | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Adolescent (12–18 years)   | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Young Adult (18–30 years)  | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Mature Adult (30–60 years) | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Elderly (>60 years)        | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |

### PATIENT DATA EVALUATION

| ASSESSMENT :                                                                               | Proficiency |   |   |   | Frequency |   |   |   |
|--------------------------------------------------------------------------------------------|-------------|---|---|---|-----------|---|---|---|
| Collect and evaluate pertinent patient clinical data                                       | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Integrate individualized interview techniques to determine patient's overall health status | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Perform comprehensive physical examination on patient                                      | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Auscultate breath sounds                                                                   | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Assess rate and work of breathing                                                          | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Recognize normal and abnormal results of cardiopulmonary monitoring                        | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Identify normal and abnormal cough, sputum amount, color, and character                    | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Perform palpation techniques to determine patient's cardiopulmonary                        | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Assess peak flow rate                                                                      | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Perform pulmonary function testing                                                         | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |

| OBTAINING ARTERIAL BLOOD GASES (ABGs): | Proficiency |   |   |   | Frequency |   |   |   |
|----------------------------------------|-------------|---|---|---|-----------|---|---|---|
| Brachial artery                        | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Femoral artery                         | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Radial artery                          | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Perform Allen test                     | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |

|                                 |   |   |   |   |  |   |   |   |   |
|---------------------------------|---|---|---|---|--|---|---|---|---|
| Blood sample from arterial line | 1 | 2 | 3 | 4 |  | 1 | 2 | 3 | 4 |
|---------------------------------|---|---|---|---|--|---|---|---|---|

#### INTERPRETATION OF LAB RESULTS:

|                      | Proficiency |   |   |   |  | Frequency |   |   |   |
|----------------------|-------------|---|---|---|--|-----------|---|---|---|
| Arterial blood gases | 1           | 2 | 3 | 4 |  | 1         | 2 | 3 | 4 |
| Basic EKG            | 1           | 2 | 3 | 4 |  | 1         | 2 | 3 | 4 |
| Blood chemistry      | 1           | 2 | 3 | 4 |  | 1         | 2 | 3 | 4 |
| Chest X-ray          | 1           | 2 | 3 | 4 |  | 1         | 2 | 3 | 4 |

#### PERFORM :

|                           | Proficiency |   |   |   |  | Frequency |   |   |   |
|---------------------------|-------------|---|---|---|--|-----------|---|---|---|
| Arterial line insertion   | 1           | 2 | 3 | 4 |  | 1         | 2 | 3 | 4 |
| 12-lead EKG               | 1           | 2 | 3 | 4 |  | 1         | 2 | 3 | 4 |
| Chest physiotherapy       | 1           | 2 | 3 | 4 |  | 1         | 2 | 3 | 4 |
| Vent set up and care      | 1           | 2 | 3 | 4 |  | 1         | 2 | 3 | 4 |
| Assist with thoracentesis | 1           | 2 | 3 | 4 |  | 1         | 2 | 3 | 4 |

#### PROVISION OF CARE :

|                                            | Proficiency |   |   |   |  | Frequency |   |   |   |
|--------------------------------------------|-------------|---|---|---|--|-----------|---|---|---|
| Acute/Chronic bronchitis                   | 1           | 2 | 3 | 4 |  | 1         | 2 | 3 | 4 |
| Adult respiratory distress syndrome (ARDS) | 1           | 2 | 3 | 4 |  | 1         | 2 | 3 | 4 |
| Aspiration                                 | 1           | 2 | 3 | 4 |  | 1         | 2 | 3 | 4 |
| Asthma                                     | 1           | 2 | 3 | 4 |  | 1         | 2 | 3 | 4 |
| Bronchoscopy                               | 1           | 2 | 3 | 4 |  | 1         | 2 | 3 | 4 |
| Cardiac surgery                            | 1           | 2 | 3 | 4 |  | 1         | 2 | 3 | 4 |
| Heart failure                              | 1           | 2 | 3 | 4 |  | 1         | 2 | 3 | 4 |
| Care of patient with chest tube            | 1           | 2 | 3 | 4 |  | 1         | 2 | 3 | 4 |
| COPD                                       | 1           | 2 | 3 | 4 |  | 1         | 2 | 3 | 4 |
| Cystic fibrosis                            | 1           | 2 | 3 | 4 |  | 1         | 2 | 3 | 4 |
| Epiglottitis                               | 1           | 2 | 3 | 4 |  | 1         | 2 | 3 | 4 |
| Fresh tracheostomy                         | 1           | 2 | 3 | 4 |  | 1         | 2 | 3 | 4 |
| Guilain Barre                              | 1           | 2 | 3 | 4 |  | 1         | 2 | 3 | 4 |
| Hemopneumothorax                           | 1           | 2 | 3 | 4 |  | 1         | 2 | 3 | 4 |
| Laryngospasm                               | 1           | 2 | 3 | 4 |  | 1         | 2 | 3 | 4 |
| Myasthenia gravis                          | 1           | 2 | 3 | 4 |  | 1         | 2 | 3 | 4 |
| Pneumonia                                  | 1           | 2 | 3 | 4 |  | 1         | 2 | 3 | 4 |
| Pneumothorax                               | 1           | 2 | 3 | 4 |  | 1         | 2 | 3 | 4 |
| Pulmonary edema                            | 1           | 2 | 3 | 4 |  | 1         | 2 | 3 | 4 |
| Smoke inhalation                           | 1           | 2 | 3 | 4 |  | 1         | 2 | 3 | 4 |
| Status asthmaticus                         | 1           | 2 | 3 | 4 |  | 1         | 2 | 3 | 4 |
| Tension pneumothorax                       | 1           | 2 | 3 | 4 |  | 1         | 2 | 3 | 4 |
| Thoracotomy                                | 1           | 2 | 3 | 4 |  | 1         | 2 | 3 | 4 |

|                                                                            |                    |   |   |   |                  |   |   |   |
|----------------------------------------------------------------------------|--------------------|---|---|---|------------------|---|---|---|
| Tracheo-esophageal fistula                                                 | 1                  | 2 | 3 | 4 | 1                | 2 | 3 | 4 |
| Tuberculosis                                                               | 1                  | 2 | 3 | 4 | 1                | 2 | 3 | 4 |
| <b>EQUIPMENT MANIPULATION</b>                                              |                    |   |   |   |                  |   |   |   |
| <b>SELECT AND ASSEMBLE EQUIPMENT RELATED TO SUPPORT OF THE RESPIRATORY</b> |                    |   |   |   |                  |   |   |   |
| <b>SYSTEM :</b>                                                            | <b>Proficiency</b> |   |   |   | <b>Frequency</b> |   |   |   |
| Bag and mask                                                               | 1                  | 2 | 3 | 4 | 1                | 2 | 3 | 4 |
| ET tube                                                                    | 1                  | 2 | 3 | 4 | 1                | 2 | 3 | 4 |
| CPAP                                                                       | 1                  | 2 | 3 | 4 | 1                | 2 | 3 | 4 |
| Face masks                                                                 | 1                  | 2 | 3 | 4 | 1                | 2 | 3 | 4 |
| Nasal cannula                                                              | 1                  | 2 | 3 | 4 | 1                | 2 | 3 | 4 |
| Nebulizer                                                                  | 1                  | 2 | 3 | 4 | 1                | 2 | 3 | 4 |
| Ultrasonic                                                                 | 1                  | 2 | 3 | 4 | 1                | 2 | 3 | 4 |
| Oxygen                                                                     | 1                  | 2 | 3 | 4 | 1                | 2 | 3 | 4 |
| T-piece                                                                    | 1                  | 2 | 3 | 4 | 1                | 2 | 3 | 4 |
| Trach collar                                                               | 1                  | 2 | 3 | 4 | 1                | 2 | 3 | 4 |
| High frequency jet ventilator                                              | 1                  | 2 | 3 | 4 | 1                | 2 | 3 | 4 |
| High frequency oscillator                                                  | 1                  | 2 | 3 | 4 | 1                | 2 | 3 | 4 |
| IMV                                                                        | 1                  | 2 | 3 | 4 | 1                | 2 | 3 | 4 |
| Inverse ration ventilator                                                  | 1                  | 2 | 3 | 4 | 1                | 2 | 3 | 4 |
| Pressure support                                                           | 1                  | 2 | 3 | 4 | 1                | 2 | 3 | 4 |
| SIMV                                                                       | 1                  | 2 | 3 | 4 | 1                | 2 | 3 | 4 |
| Troubleshooting high pressure alarms                                       | 1                  | 2 | 3 | 4 | 1                | 2 | 3 | 4 |
| Troubleshooting low pressure alarms                                        | 1                  | 2 | 3 | 4 | 1                | 2 | 3 | 4 |
| Volume vents weaning                                                       | 1                  | 2 | 3 | 4 | 1                | 2 | 3 | 4 |
| PEEP                                                                       | 1                  | 2 | 3 | 4 | 1                | 2 | 3 | 4 |
| Breath actuated nebulizers                                                 | 1                  | 2 | 3 | 4 | 1                | 2 | 3 | 4 |
| Venti-masks                                                                | 1                  | 2 | 3 | 4 | 1                | 2 | 3 | 4 |

**TROUBLESHOOT EQUIPMENT RELATED TO RESPIRATORY SYSTEM SUPPORT:**

|                           |                    |   |   |   |                  |   |   |   |
|---------------------------|--------------------|---|---|---|------------------|---|---|---|
|                           | <b>Proficiency</b> |   |   |   | <b>Frequency</b> |   |   |   |
| High pressure vent alarms | 1                  | 2 | 3 | 4 | 1                | 2 | 3 | 4 |
| Low pressure vent alarms  | 1                  | 2 | 3 | 4 | 1                | 2 | 3 | 4 |
| Oxygen-related equipment  | 1                  | 2 | 3 | 4 | 1                | 2 | 3 | 4 |

**RESPIRATORY CARE**

|                                                                        |                    |   |   |   |                  |   |   |   |
|------------------------------------------------------------------------|--------------------|---|---|---|------------------|---|---|---|
| <b>INFECTION/QUALITY CONTROL :</b>                                     | <b>Proficiency</b> |   |   |   | <b>Frequency</b> |   |   |   |
| Perform quality control (QC) procedures for equipment                  | 1                  | 2 | 3 | 4 | 1                | 2 | 3 | 4 |
| Maintain aseptic technique when applicable, ensuring infection control | 1                  | 2 | 3 | 4 | 1                | 2 | 3 | 4 |
| Remove bronchopulmonary secretions                                     | 1                  | 2 | 3 | 4 | 1                | 2 | 3 | 4 |

| DOCUMENTATION/RECORD MAINTENANCE :                                                                                                   | Proficiency |   |   |   | Frequency |   |   |   |
|--------------------------------------------------------------------------------------------------------------------------------------|-------------|---|---|---|-----------|---|---|---|
| Review existing data in the patient record and document current information in record as it relates to current respiratory care plan | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |

| AIRWAY MAINTENANCE:                                                                                       | Proficiency |   |   |   | Frequency |   |   |   |
|-----------------------------------------------------------------------------------------------------------|-------------|---|---|---|-----------|---|---|---|
| Function as an assistant to physician during special procedures                                           | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Initiate and conduct pulmonary rehabilitation with patient when indicated                                 | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Initiate and conduct emergency cardiopulmonary support including BCLS, ACLS, PALS, and NRP when indicated | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Nasal airway placement                                                                                    | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Oral airway placement                                                                                     | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Oropharyngeal/Suctioning                                                                                  | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Sputum specimen collection                                                                                | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Tracheostomy/Suctioning                                                                                   | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Incentive spirometry                                                                                      | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Intubation                                                                                                | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Intubation assistance                                                                                     | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Extubation                                                                                                | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Extubation assistance                                                                                     | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |

| EVALUATION OF RESPIRATORY CARE :                                            | Proficiency |   |   |   | Frequency |   |   |   |
|-----------------------------------------------------------------------------|-------------|---|---|---|-----------|---|---|---|
| Perform venous, arterial, and capillary sticks for analyzing blood gases    | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Initiate patient education when indicated (e.g., MDI, nebulizer treatments) | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |

| MODIFICATION/RECOMMENDATION OF RESPIRATORY CARE:                                               | Proficiency |   |   |   | Frequency |   |   |   |
|------------------------------------------------------------------------------------------------|-------------|---|---|---|-----------|---|---|---|
| Maintain and achieve adequate respiratory support for the patient                              | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Evaluate and monitor patient's objective and subjective responses to respiratory care          | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Modify treatment modalities based upon patient's response to respiratory care                  | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Recommend modifications to respiratory treatments when indicated                               | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Initiate, conduct, or modify respiratory therapy treatments/techniques in an emergency setting | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |

MEDICATION ADMINISTRATION

DELIVERY SYSTEM:

| DELIVERY SYSTEM:      |   | Proficiency |   |   |   | Frequency |   |   |  |
|-----------------------|---|-------------|---|---|---|-----------|---|---|--|
| Aerosol heated/cooled | 1 | 2           | 3 | 4 | 1 | 2         | 3 | 4 |  |
| Aerosol set up mask   | 1 | 2           | 3 | 4 | 1 | 2         | 3 | 4 |  |
| Aerosol set up trach  | 1 | 2           | 3 | 4 | 1 | 2         | 3 | 4 |  |
| IPPB                  | 1 | 2           | 3 | 4 | 1 | 2         | 3 | 4 |  |
| Medihaler             | 1 | 2           | 3 | 4 | 1 | 2         | 3 | 4 |  |
| Metered dose inhalers | 1 | 2           | 3 | 4 | 1 | 2         | 3 | 4 |  |

MEDICATIONS:

| MEDICATIONS:                                    | Proficiency |   |   |   | Frequency |   |   |   |
|-------------------------------------------------|-------------|---|---|---|-----------|---|---|---|
| Acetylcysteine inhalation route (Mucomyst®)     | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Albuterol (Proventil ®, Ventolin ®)             | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Aminophylline                                   | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Beclomethasone dipropionate (Vanceril ®)        | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Cromolyn sodium (Intal ®)                       | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Dexamethasone (Decadron ®)                      | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Flunisolide (Aerobid ®)                         | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Fluticasone nasal spray (Flonase ®)             | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Fluticasone oral inhalation (Flovent ®)         | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Inhaled steroids                                | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Ipratropium bromide (Atrovent ®)                | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Ipratropium bromide and albuterol (Combivent ®) | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Isoproterenol (Isuprel ®)                       | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Levalbuterol oral inhalation (Xopenex ®)        | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Metaproterenol                                  | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Racepinephrine (Asthmanefrin ®))                | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Sodium bicarbonate                              | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Terbutaline sulfate                             | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Theophylline (Uniphy ®))                        | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Triamcinolone acetonide (Azmacort ®)            | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Triamcinolone nasal spray (Nasacort ®)          | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |

RECOGNITION OF EFFECTS ON RESPIRATORY SYSTEM:

| RECOGNITION OF EFFECTS ON RESPIRATORY SYSTEM: |             |   |   |   |  |           |   |   |   |
|-----------------------------------------------|-------------|---|---|---|--|-----------|---|---|---|
|                                               | Proficiency |   |   |   |  | Frequency |   |   |   |
| Atropine (Atropen ®)                          | 1           | 2 | 3 | 4 |  | 1         | 2 | 3 | 4 |
| Corticosteroids                               | 1           | 2 | 3 | 4 |  | 1         | 2 | 3 | 4 |
| Diazepam (Valium ®)                           | 1           | 2 | 3 | 4 |  | 1         | 2 | 3 | 4 |

|                                         |   |   |   |   |   |   |   |   |
|-----------------------------------------|---|---|---|---|---|---|---|---|
| Digoxin (Cardoxin ®)                    | 1 | 2 | 3 | 4 | 1 | 2 | 3 | 4 |
| Dopamine (Inotropin ®)                  | 1 | 2 | 3 | 4 | 1 | 2 | 3 | 4 |
| Heliox therapy                          | 1 | 2 | 3 | 4 | 1 | 2 | 3 | 4 |
| Ketamine (Ketalar ®)                    | 1 | 2 | 3 | 4 | 1 | 2 | 3 | 4 |
| Lidocaine (Xylocaine ®)                 | 1 | 2 | 3 | 4 | 1 | 2 | 3 | 4 |
| Midazolam (Versed ®)                    | 1 | 2 | 3 | 4 | 1 | 2 | 3 | 4 |
| Morphine sulfate (Duramorph ®)          | 1 | 2 | 3 | 4 | 1 | 2 | 3 | 4 |
| Nipride (Sodium nitroprusside ®)        | 1 | 2 | 3 | 4 | 1 | 2 | 3 | 4 |
| Nitric oxide therapy                    | 1 | 2 | 3 | 4 | 1 | 2 | 3 | 4 |
| Pancuronium bromide<br>(Pavulone ®)     | 1 | 2 | 3 | 4 | 1 | 2 | 3 | 4 |
| Pentamidine isethionate<br>(NebuPent ®) | 1 | 2 | 3 | 4 | 1 | 2 | 3 | 4 |
| Propofol (Diprivan ®))                  | 1 | 2 | 3 | 4 | 1 | 2 | 3 | 4 |
| Suxamethonium chloride<br>(Anectien®))  | 1 | 2 | 3 | 4 | 1 | 2 | 3 | 4 |
| Theophylline (Theo-dur ®))              | 1 | 2 | 3 | 4 | 1 | 2 | 3 | 4 |

#### NEONATAL/PEDIATRIC POPULATION

| PROVISION OF CARE:                 | Proficiency |   |   |   | Frequency |   |   |   |
|------------------------------------|-------------|---|---|---|-----------|---|---|---|
| Assist in high risk delivery       | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Capillary blood gases              | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Oxygen delivery system             | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Umbilical blood gases              | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Bronchopulmonary dysplasia (BPO)   | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Croup                              | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Epiglottitis                       | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Meconium aspiration                | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Near drowning                      | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Persistent pulmonary hypertension  | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Respiratory interstitial emphysema | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Respiratory distress syndrome      | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Respiratory syncytial virus        | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |
| Transient tachypnea of the newborn | 1           | 2 | 3 | 4 | 1         | 2 | 3 | 4 |

#### Work History

Years Experience in Clinical Specialty:

Most recent facility worked at:

I hereby certify that ALL information I have provided to Clover Health Services, on this skills checklist and all other documentation, is true and accurate.  
I understand and acknowledge that any misrepresentation or omission may result in disqualification from employment and/or immediate termination.